


HIV/AIDS: United States vs. Florida Sheet

UNITED STATES, 2006

- ⓧ Cumulatively through December 2006, an estimated **992,865** AIDS cases have been reported in the US.
- ⓧ In 2006, **39,002** AIDS cases were reported in the US.
- ⓧ Cumulatively through December 2006, **9,522** pediatric AIDS cases have been reported in the US.
- ⓧ Males account for **73%** of cumulative reported AIDS cases, and females account for **27%**. The male-to-female ratio is **2.8:1**.
- ⓧ Cumulatively through December 2006, the five leading states/territories reporting the highest number of AIDS cases were:

New York	177,262	Texas	70,127
California	142,918	New Jersey	49,528
Florida	105,614		
- ⓧ Cumulatively through December 2006**, the five leading metropolitan statistical areas (MSAs) reporting the highest number of AIDS cases are:

New York City	198,083	San Francisco	40,248
Los Angeles	58,246	Washington, DC	31,445
Miami	56,804		
- ⓧ Cumulatively through December 2006, **282,640** HIV (not AIDS) cases have been reported in adults and **5,314** in pediatrics, based on 45 HIV reporting states.
- ⓧ Males account for **71%** of cumulative reported HIV (not AIDS) cases, and females account for **29%**. The male-to-female ratio is **2.4:1**.
- ⓧ In 2006, **52,878** HIV cases were reported in the US.
- ⓧ According to the US Census for 2000 the US population is **72%** white, **11%** black, **11%** Hispanic, and **6%** other.
- ⓧ Of the AIDS cases reported in 2006, **30%** were among whites, **49%** were among blacks, **19%** were among Hispanics, and **2%** were among other races.
- ⓧ Of the HIV cases reported from 33 states in 2006, **31%** were among whites, **49%** were among blacks, **18%** were among Hispanics, and **2%** were among other races.
- ⓧ At the end of 2005, an estimated **226,477** adults/adolescents and pediatrics were living with HIV (not AIDS) and **436,693** were living with AIDS.



Source: CDC HIV/AIDS Surveillance Report, Vol. 18
 *2007 US data not available.

FLORIDA, 2007

- ⓧ Cumulatively through 2007, **109,364** AIDS cases have been reported in Florida. Florida ranks **third** in the nation in the number of AIDS cases.
- ⓧ In 2007, **3,791** AIDS cases were reported in Florida.
- ⓧ Cumulatively through 2007, **1,523** pediatric AIDS cases have been reported in Florida. Florida ranks **second** in the nation in the number of pediatric AIDS cases.
- ⓧ Males account for **66%** of cumulative reported AIDS cases, and females account for **34%**. The male-to-female ratio is **1.9:1**.
- ⓧ Cumulatively through 2007, **40,642** HIV (not AIDS) cases have been reported, which includes **2,254** pediatric HIV (not AIDS) cases. (Reporting of HIV was implemented July 1, 1997.)
- ⓧ In 2007, **5,980** HIV cases were reported in Florida.
- ⓧ Males account for **71%** of cumulative reported HIV (not AIDS) cases, and females account for **29%**. The male-to-female ratio is **2.4:1**.
- ⓧ The 2007 estimated population for Florida is: **63%** white, **15%** black, **20%** Hispanic, and **2%** other.
- ⓧ Of the AIDS cases reported in 2007, **27%** were among whites, **54%** were among blacks, **17%** were among Hispanics, and **2%** were among other races.
- ⓧ Of the HIV cases reported in 2007, **33%** were among whites, **45%** were among blacks, **21%** were among Hispanics, and **1%** were among other races.
- ⓧ In 2007, there were **323,028** HIV tests performed by county public health departments, with **1.6%** of the tests being positive.
- ⓧ An estimated 125,000 persons, or roughly 11.7% of the national estimate of 1,185,000 are currently thought to be HIV-infected in Florida.



Source: Florida Department of Health, Bureau of HIV/AIDS. Data as of 12/31/07.

Cumulative AIDS Cases for 30 States and Florida's Title I EMAs

Reported through December 2006*

RANK	STATE (EMA)	TOTAL
1	New York	177,262
2	California	142,918
3	Florida	105,614
4	Texas	70,127
	Miami, FL	56,804
5	New Jersey	49,528
6	Illinois	33,902
7	Pennsylvania	33,782
8	Georgia	31,965
9	Maryland	30,571
10	Massachusetts	19,395
11	Louisiana	17,740
12	Virginia	16,979
	Ft. Lauderdale, FL	16,674
13	North Carolina	16,072
14	Ohio	15,095
15	Michigan	15,054
16	Connecticut	14,899
17	South Carolina	13,406
18	Tennessee	12,516
19	Washington	11,826
	Tampa-St. Petersburg, FL	11,286
20	Missouri	11,077
21	Arizona	10,442
	West Palm Beach, FL	9,915
22	Colorado	8,773
	Orlando, FL	8,745
23	Alabama	8,702
24	Indiana	8,295
25	Mississippi	6,698
	Jacksonville, FL	6,095
26	Oregon	6,015
27	Nevada	5,762
28	Oklahoma	4,862
29	Minnesota	4,845

*Source: CDC HIV/AIDS Surveillance Report, Vol. 18 (2007 data not available)

HIV/AIDS in Florida as of December 31, 2007

National ranking, total cases

Adult/adolescent: Third behind New York and California
Pediatric: Second behind New York

First reported AIDS case: June 1981

AIDS Cases that are Known Dead (Cumulative thru 2007):

Adult: 55 percent
Pediatric: 57 percent

Male exposure – HIV/AIDS (Living thru 2007)

Mode of Exposure	No.	%
Male/male sex	36,741	62%
Intravenous drug use	5,989	10%
Male/male sex/IV drug use	3,447	6%
Heterosexual sex	12,647	21%
Perinatal, Blood or Other Risk	220	0%
Total	59,044	100%
NIRs Redistributed		

Female exposure – HIV/AIDS (Living thru 2007)

Mode of Exposure	No.	%
Intravenous drug use	4,029	16%
Heterosexual sex	21,646	84%
Perinatal, Blood or Other Risk	227	1%
Total	25,902	100%
NIRs Redistributed		

RESIDENT HIV/AIDS DEATHS:

A decrease in resident HIV/AIDS deaths from 4,336 in 1995 to 3,093 in 1996, representing a 29% decline, was the first ever, due mainly to improved treatment.

In 2005, HIV was still the leading cause of death among black males and females ages 25-44. It is 4th and 6th for white males and females and 3rd and 5th for Hispanic males and females, respectively, for individuals in the same age group.

RESIDENT HIV/AIDS DEATHS, 2006

Race/Ethnicity	2006	
	No.	rate
White Male	351	6.3
White Female	78	1.3
Black Male	625	45.3
Black Female	433	29.1
Hispanic Male	190	10.4
Hispanic Female	45	2.5
Other**	24	5.2
TOTAL	1,746	9.5

HIV test sites

Approximately 1,600 sites statewide
Approximately 300 anonymous sites

HIV tests conducted by publicly funded testing program

Year	No. tests	No. Positive	% Positive
1985	5,961	1,404	23.6%
1986	17,131	1,816	10.6%
1987	47,349	2,566	5.4%
1988	105,878	4,931	4.7%
1989	131,082	6,031	4.6%
1990	169,568	6,540	3.9%
1991	212,614	6,531	3.1%
1992	234,975	5,995	2.6%
1993	234,238	5,653	2.4%
1994	241,742	5,163	2.1%
1995	243,633	4,799	2.0%
1996	255,008	4,485	1.8%
1997	241,778	4,353	1.8%
1998	228,441	4,716	2.1%
1999	231,039	4,892	2.1%
2000	245,169	5,263	2.1%
2001	271,380	6,547	2.4%
2002	294,494	6,723	2.3%
2003	301,687	6,574	2.2%
2004	295,602	5,722	1.9%
2005	294,545	5,230	1.8%
2006	296,835	4,786	1.6%
2007	323,028	5,031	1.6%
Total	4,600,149	92,283	2.0%

AIDS cases by year of report*

1981	8	1991	5,301	2001	4,633
1982	58	1992	5,386	2002	4,758
1983	170	1993	9,956	2003	4,515
1984	309	1994	8,029	2004	5,517
1985	545	1995	7,607	2005	4,869
1986	1,021	1996	6,825	2006	4,960
1987	1,637	1997	5,517	2007	3,791
1988	2,579	1998	5,021		
1989	3,439	1999	4,973		
1990	3,721	2000	4,619		

HIV cases by year of report**

1997	2,136	2002	6,757
1998	6,725	2003	6,328
1999	6,616	2004	6,110
2000	5,852	2005	5,621
2001	5,992	2006	5,224
		2007	5,980

*CDC changed the AIDS case definition on January 1, 1993.

**HIV regardless of AIDS status first reported in July 1, 1997.